

# Application Data - Pulsation Dampeners



**young  
engineering  
manufacturing, inc.**

**FAX TO  
CUSTOMER SERVICE  
at  
909-394-3006**

**To help us serve you, please provide the following information:**

Your Name \_\_\_\_\_ Title \_\_\_\_\_

Company Name \_\_\_\_\_

Address \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_

1. Pump Manufacturer: \_\_\_\_\_ Model: \_\_\_\_\_

2. No. of Pumps: \_\_\_\_\_

3. Pump Type: Simplex Duplex \_\_\_\_\_ Triplex \_\_\_\_\_ Quadplex \_\_\_\_\_

4. Action:  Single  Double # of Cylinders: \_\_\_\_\_

5. Stroke \_\_\_\_\_ Bore: \_\_\_\_\_

5. Fluid Pumped \_\_\_\_\_ Temperature \_\_\_\_\_

6. Specific Gravity: \_\_\_\_\_ Viscosity: \_\_\_\_\_

7. System Operating Pressure \_\_\_\_\_

8. Flow Rate: \_\_\_\_\_

9. Discharge Pipe Diameter: I.D.: \_\_\_\_\_ inch

10. Pump Suction: \_\_\_\_\_

11. Lift: \_\_\_\_\_ Head: \_\_\_\_\_

12. Inlet Port: NPT \_\_\_\_\_ BSP \_\_\_\_\_ Flange \_\_\_\_\_

13. Wetted Material: \_\_\_\_\_ Bladder: \_\_\_\_\_

14. Air Control:  Adjustable  Automatic  Chargeable

15. Manufacturing Standard: ASME Coded UL FM Other (CIRCLE)

16. Describe pulsation problems: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Call 800-33-SURGE (337-8743) Email: Sales@youngeng.com**